NOTICE OF FURTHER SUBMISSION BY THE OIL COMPANIES TO PROPOSED PLAN CHANGE 45 TO THE UPPER HUTT DISTRICT PLAN PURSUANT TO CLAUSE 8 OF THE FIRST SCHEDULE OF THE RESOURCE MANAGEMENT ACT 1991

To: Upper Hutt City Council

Private Bag 907 Upper Hutt

Via email: planning@uhcc.govt.nz

Submitter:



Z Energy Limited PO Box 2091 WELLINGTON 6140





Mobil Oil NZ Limited PO Box 1709 AUCKLAND 1140

Hereafter, collectively referred to as "the Oil Companies"

Address for Service: 4SIGHT CONSULTANTS

201 Victoria Street West

AUCKLAND 1010

Attention: John McCall

Phone: (022) 684 6882 Email: johnm@4sight.co.nz

File ref: 18/024

- 1 The Oil Companies' specific further submission points are as contained in the attached Table.
- 2 The Oil Companies' interest in the proposed plan is greater than the interest of the general public.
- 3 The Oil Companies wish to be heard in support of this further submission.
- 4 If others make similar submissions, the Oil Companies would be prepared to consider presenting a joint case with them at any hearing.

Dated at AUCKLAND this 23rd day of October 2018

John McCall

Authorised to sign on behalf of the Oil Companies

BURTON PLANNING CONSULTANTS LIMITED

Now part of 4Sight Consulting Ltd

Submission	Relief Sought By Submitter	Position of Oil Companies	Reason For Support / Opposition
2.6	Policy 8A.3.3.3	Oppose	The submission (2.6) is opposed .
Allison Tindale			
	Subsection (d) the word 'residential' is deleted:		The Oil Companies do not support the deletion of the word 'residential' from Policy 8A.3.3.3 (d). Clause (b) of Policy
	manages any moving, digital or changing signage, and		8A.3.3.3 provides for the maintenance of the broader
	illuminated signage to protect residential amenity and to not		character and visual amenity of the site and surrounding area
	compromise the safety of road users; and		(which does not result in additional visual clutter or dominate the skyline) for any proposed signage Clause (d) of Policy
	Subsection (e) Relocate the matters of consideration for		8A.3.3.3 specifically addresses the protection of residential
	resource consent for signs which are not on the site to which		amenity due to the sensitive nature of this activity (with
	they relate out of the policy section and into the rules		regards to moving, digital or changing and illuminated
	section of the plan.		signage). Therefore it is considered appropriate to retain the word 'residential', for this clause of the policy not to apply to
	The following policy wording is suggested:		business and industrial zones where activities are less sensitive and a lower standard of amenity is generally
	limit signs which are not situated on the site to which they		acceptable.
	relate, except where,		'
	- there is a need for off-site signage; and		In the context of this particular plan change, the Oil
	- the design and location of signs contributes to the		Companies do not support the changes to the policy as
	maintenance of the character and amenity of the		proposed. While the matters included in the policy do read
	surrounding area		as assessment criteria, off-site signs require full discretionary
	- and when considering proposals for such signs have regard		activity consent and, as such, the Council is not specifically
	to the following:		restricted to considering matters of assessment or discretion)
	(i) The need for the sign to be located away from the		as set out in the rules. Accordingly, it is considered that the
	site, including any constraints relating to the		policy should be retained as proposed, unless the activity of
	location of the businesses, which creates a need for		off-site signs is changed to a restricted discretionary activity.
	off-site signage, and		
	(ii) The capacity for the site and surrounding		
	environment to accommodate the sign, and for the		
	character and amenity values to be maintained; and		
	(iii) Any adverse effects on transport safety or efficiency,		
	or transport benefits in providing for the sign to be		
	located away from the site.		

2.11 Allison Tindale

Rule 8A.3.4.10

It is suggested that the wording of the provision be amended to improve clarity. It is unclear what the difference is between free-standing signs and signs for the direction of traffic. That is, it is anticipated that signs for the direction of traffic are a type of free-standing sign. Consequently, it is suggested that permitted standards in this standard be combined with 8A.3.4.12, as follows:

Free-Standing Signs in Business Commercial Zones, Business Industrial Zones, and Special Activity Zones

- a) <u>one free-standing sign for sites with a road frontage</u> less than 50m;
- b) two free-standing signs for sites with a road frontage of more than 50m;
- c) <u>maximum height of free-standing signs above</u> ground level is:
 - (i) 8m in Business Commercial Zones.
 - (ii) <u>9m in Business Industrial and Special</u> Activity Zones.
- d) Free-standing sign of up to 2m width.
- e) <u>Maximum area used for advertising on a free-</u> standing size is no more than 7.5m2.
- f) <u>Free-standing signs higher than 4m above ground</u> <u>level in the Business Industrial Zone are located a</u> minimum of 15m apart.
- g) <u>Signs located over a pedestrian pathway have a</u> minimum clearance of 2.5 metres above ground level.
- h) The above limits on the number of free-standing signs along the road frontage, does not apply to signs for the direction of traffic, providing:
 - (i) <u>The maximum height of the sign (excluding frame) is 1m</u>
 - (ii) The maximum area used for advertising on

Oppose

The submission (2.11) is **opposed**.

While it is accepted that a sign for direction could also be a free standing sign, the Oil Companies consider it is clear what the difference between a sign for direction (whether it be free-standing or attached to a building) and a free-standing sign is (i.e. any other sign not attached to a building or used for the direction of traffic). Rule 8A.3.4.12 specifically requires the content for signs for direction of traffic to "be limited to directional purposes".

Therefore the Oil Companies support the Council's approach to provide two separate performance standards for 'free-standing signs in Business Commercial Zones, Business Industrial Zones and Special Activity Zones' and 'signs for direction of traffic on a site in Business Commercial, Business Industrial Zones and Special Activity Zones' (Rule 8A.3.4.10 and 8A.3.4.12 respectively). It is not considered appropriate or necessary to combine these performance standards, as proposed by the submitter, as this will restrict development on sites with road frontages less than 50m to only erecting one directional sign or one free-standing (such as a sign advertising the activity onsite) as a permitted activity, for example.

Directional signage ensures the safety of both vehicles and pedestrians navigating to and from, or within, a site. A District Plan should not create a framework that restricts development to providing either directional signage or freestanding signage as a permitted activity - rather the framework should encourage directional signage, as a permitted activity, irrespective of the other free-standing signage standards. This will ensure developments can erect directional signage without foregoing free-standing signs.

Health and Safety Sign: A sign affixed to a network utility, or any other asset or structure for the purpose of providing a health and safety warning, identification or as a requirement of other legislation. Companies support the intent of the definition properties the submitter. Companies support the intent of the definition properties the submitter. Rule 8A.3.4.1 Oppose The submission (6.5) is opposed.	Add a definition for "Health and Safety Sign", to provide clarity for what meets the criteria for a permitted activity under Rule 8A.3.4.1, as follows: The submission (4.4) is supported. The Oil Companies primary submission also sou definition for a "health and safety" sign. The wording definition sought by the submitter is different to that significant to that significant to the submission (4.4) is supported.	(iii) The content of the sign is limited to directions i) Have no changing content; j) Are not in a digital format k) Are situated on the site to which the sign relates, except for signs for the direction of traffic. l) Are not illuminated within 10m of a Residential zone m) In the Business Industrial zone on Eastern Hutt Road identified in Appendix 3 of Chapter 20 — Business Zone Rules: (i) No sign shall be located within 6m of Eastern Hutt Road, except for one free-standing sign at the road entrance (ii) Maximum area used for advertising on a free-standing sign is no more than 20m2. Note: Calculations of maximum signage area is based on each side of a sign, rather than the addition of one or more sides of a sign.
--	---	---

Limited	Amend the rule to ensure all health and safety signage visible from State Highway 2 be permitted only where the sign complies with permitted performance standards 8A.3.4.8 to 8A.3.4.13.		The Oil Companies primary submission sought to retain the dedicated permitted activity rule for health and safety signage without any associated performance standards. It is not considered appropriate to require consent for the erection of signage required by legislation. Performance Standard 8A.3.4.9(a) permits a maximum of one sign per site, visible in any one direction. It is not appropriate to apply this maximum to health and safety signage, which is required by law. The submitter does not provide enough justification as to why health and safety signage be subject to all performance standards contained within 8A.3.4.8 to 8A.3.4.13, when the concern is the potential for "poorly designed and located" health and safety signs. If permitted health and safety signage is restricted to that required by law, then it follows that the signage is more likely than not reasonably located and designed. Furthermore, mere visibility from State Highway 2 is an inappropriate threshold to apply to any such rule. Health and safety signage is generally directed to persons within a site, ensuring their health and safety, and the context of such signage is as directed by law.
6.10 New Zealand Transport Agency	Rule 8A.3.4.6 Seeks the inclusion of the two below rules from the Proposed Dunedin District Plan (or similar provisions to the same effect), as the standards are consistent with the Transport Agency's Traffic Control Devices Manual Part 3: Advertising signs, as follows: General (a) Temporary signs visible from a public place must meet all of the following performance standards: (b) Temporary signs must not be illuminated (internally or externally), digital, or projected; and	Oppose part	The submission (6.10) is opposed, in part . The submitter seeks to incorporate a number of standards. The changes that are sought do not seem to only apply to that part of a sign which is digital but to the sign itself. It should not be applied to, for example, the digital part of the prime sign that can change to show the price of petrol. If it is, then it should only be applied to that part of a sign that is digital (i.e.: the balance of the prime sign should not be restricted by the standards relating to digital signage).

- (c) Signs must also comply with:
 - (i) <u>Rule 6.7.2; and</u>
 - (ii) Rule 6.7.3, where visible from the road.

Signs Visible from Roads

- (a) The minimum letter height of signs designed to be read by passing motorists must be:
- (b) 120mm where the speed limit is less than 70km per hour; and
- (c) <u>160mm where the speed limit is greater than 70km</u> per hour.
- (d) No sign shall be of a design or form such that it resembles or conflicts with traffic signs.
- (e) Illuminated and digital signs must:
- (f) have the sign's light source shielded so that its glare does not extend beyond the sign;
- (g) not use images that are flashing or animated;
- (h) have a minimum display time of 10 seconds per image; and
- (i) have a maximum luminance (cd/m2) of:
- (j) 2000 where the sign has an illuminated area of up to 0.5m2;
- (k) 1600 where the sign has an illuminated area of above 0.5m2 to 2m2;
- (I) <u>1200 where the sign has an illuminated area of above 2m2 to 5m2;</u>
- (m) 1000 where the sign has an illuminated area of 5m2 to 10m2; and
- (n) <u>800 where the sign has an illuminated area above</u> 10m2.

In addition to the above recommended standards, the submitter seeks for the following (or similar) good practice performance standards to be included within PC45.

(a) The dwell time must be a minimum of 15 seconds

		between images and appropriate for the applicable			
		<u>road environment.</u>			
	(b)	<u>Dwell times should also be set to ensure that</u>			
	9	approaching motorists are not exposed to more			
		than one transition of an image;			
	(c)	Transition time between static images must be 0.5			
		<u>seconds;</u>			
	(d)	Image content must be static and not include any			
	9	<u>animation or flashes;</u>			
	(e)	Include an automatic diming system based on an			
	9	ambient light level sensor to achieve the above			
		<u>luminance requirements;</u>			
	<i>(f)</i>	Default to a white or black screen in the event of a			
		<u>malfunction.</u>			
6.13	Rule 8A.3	3.4.13(c)	Oppose	in	The submission (6.13) is opposed, in part .
New Zealand Transport			part		
Agency	Insert the	e following new rule:			The Oil Companies recognise that no sign shall be located so
					that it obstructs or obscures any traffic sign or signal, or any
	Rule 8A.3	3.4.13(h)			official road sign, whether they are for regulatory, warning or
	(i)	Within road environments with a posted speed			advisory purposes in accordance with Rule 8A.3.4.13(a). The
		limit of , 70 km/h no signs shall be located 100m			submitter does not propose to delete Rule 8A.3.4.13(a),
		from an intersection and/or permanent			rather include a new rule with the same intent. It is noted
		regulatory or warning or advisory sign and/or			that the proposed rule by the submitter specifically applies to
		traffic signal, and/or pedestrian crossing			signs 'within road environments' however it is considered
	(ii)	Within road environments with a posted speed			Rule 8A.3.4.13(a) already applies to any sign regardless of
		limits of > 70km/h no signs shall be located			whether the sign is located within the site or the road
		200m from an intersection and/or a permanent			reserve. The term 'road environment' is not defined and the
		regulatory or warning or advisory sign and/or			submitter does not propose to include a definition. To ensure
		traffic signal, and/or pedestrian crossing.			consistency with PC45, the Oil Companies consider the term
					'road reserve' is more appropriate than 'road environment'
					and may be neutral if the proposed rule applied to the 'road
					reserve' rather than the 'road environment' dependent on
					wording and if NZTA can justify its inclusion by identifying a
					gap in the regulatory framework that needs to be addressed,
					given that Rule 8A.3.4.13(a) already restricts signage from

	obstructing or obscuring any traffic sign or signal, or any official road sign, whether they are for regulatory, warning or advisory purposes.